




*Safety with Durability*



**SUPER PLAST**® (INDIA)

ELECTRICAL PVC CONDUIT PIPES, FITTINGS & CASING 'N' CAPING

A TRUSTED NAME FOR QUALITY PRODUCTS



**SP SUPER PLAST® (INDIA)**

For more than 20 years i.e. since 1983, **SUPER PLAST** is on the firm foundations of Safety with Durability. **SUPER PLAST** has been the standard bearer in its field, and captured the prominent market share in Vidarbha & Maharashtra, **SUPER PLAST** is having pioneer obsession & innovative vision in Electrical Conduits.

**SUPER PLAST** Rigid PVC Electrical conduits has established its own name in the Indian market with the application, determination & an attitude that simply refuses to compromise as far as the quality is concerned.

**SUPER PLAST** Rigid PVC Conduits are more aesthetic in appearance & more economical than M. S. Conduits. It is lighter than M. S. Conduits & highly applicable for Hotels, Schools, Multistoreyed Buildings, and large Govt. sectors where the risk to people & valuable property assets needs to be minimised.



**RIGID PVC CASING 'N' CAPING (TRUNKING)**

**Colour** : Ivory / White

**Std. Length** : 2 Meters

S. No.	Size	S. No.	Size
1	20 x 10 mm (1/2")	7	16 x 16 mm
2	25 x 10 mm (3/4")	8	25 x 16 mm
3	32 x 10 mm (1")	9	38 x 16 mm
4	20 x 12.5 mm	10	38 x 25 mm
5	25 x 12.5 mm	11	50 x 20 mm
6	32 x 12.5 mm	12	50 x 50 mm



IS:9537



Part III  
CM/L-7018660

## DIMENSIONS OF PVC CONDUIT FOR ELECTRICAL INSTALLATIONS

Std. Length : 3 Meters      IS : 9537 (PART III) 1983

Nominal Size mm	Outside Diameter mm	Tolerance on Outside Diameter mm	Light	Medium	Heavy
			Min. Inside Dia. mm	Min. Inside Dia. mm	Min. Inside Dia. mm.
16	16	-0.3	13.7	13.0	12.2
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-


### SPECIAL SIZE RIGID CONDUIT

Colours : Black / Grey / Ivory

S.No.	Outside Diameter in mm	Equivalent Size in mm	Wall Thickness in mm	S.No.	Outside Diameter in mm	Equivalent Size in mm	Wall Thickness in mm
1	19	3/4"	1.2	4	25	1"	1.5
2	19	3/4"	1.5	5	25	1"	2.0
3	19	3/4"	2.0	6	38	1.5"	2.0

### PVC CONDUIT FITTINGS






Safety with Durability



## SUPER PLAST INDUSTRIES

**OFFICE :** Shop No. 11, Nagar Parishad Market,  
Sarafali Chowk, Yavatmal (M.S.) - 445001.  
Tel. : 243707

**FACTORY :** A-37, MIDC Lohara, Yavatmal (M.S.)  
Tel. : 249115 Telefax : (07232) 249115



AUTHORISED DISTRIBUTOR / DEALER